



## Topical Cream 50g

### PROTECTIVE SKIN CREAM WITH VITAMIN K1

A cream with beneficial effects on irritated skin, alterations on the skin, dry skin, acne-like rashes and skin that has been altered around the nails due to cancer chemotherapies and immunotherapies (particularly EGFR inhibitors).

#### How does it work?

- Improves the water retention of the skin and makes the skin more elastic and healthy.
- Strengthens and maintains the physiological barrier and protective function of the skin.
- Ensures stronger resistance against potential irritants.
- Prophylactic use of **Reconval**® reduces the appearance of acneiform rash without any dose reductions or treatment delays in anti-cancer therapy.

#### The reasons of using Reconval :

**Reconval**® relieves skin inflammations and protect the skin against painful skin changes and scalps caused by chemotherapy and immunotherapy. When using EGFR and VEGFR inhibitors for the treatment of various forms of cancer, skin side effects may occur that are particularly perceivable in the form of acne, rashes, redness on the palm of one's hands and soles of feet, changes in nails, head and body hair.

Even if these painful skin reactions are of temporary nature, targeted cancer treatments might be delayed. Besides, severe skin reactions can affect the quality of life or can cause the discontinuation of the cancer therapy. In some cases, the doctor even lowers the dose administered and reduces thereby the chance of a successful cancer therapy. To prevent such scenarios and alleviate the skin side effects a prophylactic application of **Reconval**® is recommended.

#### How to use:



1

2

3

Step 1: Shower the skin with lukewarm water and use only mild soap.

Step 2: Dry your skin gently with a soft towel (natural fibers).

Step 3: Strat using Reconval K1 cream prophylactically On day 1 of the cancer therapy, especially on the face, neck, décolleté or other areas that may already be affected. Continue using **Reconval** until skin inflammations improved.

Step4: Apply several times a day as required.

#### Cautions:

- If you use other topical medications while taking this product. Notify your physician.
- Prevent the medicine from coming into contact with eyes, mouth and other mucous tissues.
- For topical use only. Do not use on mucous tissue such as nose or vagina.

#### Contraindications:

- Sensitivity to the product or components used in the formulation.

#### Storage:

Store at a temperature below 30 °C.

Protect from freezing.

keep out of reach of children



## کرم محافظ پوست حاوی ویتامین کا<sup>®</sup>

### هشدارها:

- اگر در هنگام مصرف این محصول از داروهای موضعی دیگر استفاده می نمایید پرشک معلج را مطلع نماییم.
- از تماس دارو با چشم، دهان و دیگر بافت های مخاطی ممانعت کنید.
- این دارو فقط برای مصرف موضعی است. بر روی بافت مخاطی مانند بینی یا وانژ استعمال نگردد.

### موارد منع مصرف:

حساسیت به محصول یا اجزای به کار رفته در فرمولاسیون.

### شرایط نگهداری:

- در دمای کمتر از ۳۰ درجه سانتیگراد نگهداری شود.
- از بیخ زدگی محافظت شود.
- دور از دسترس اطفال نگهداری شود.

کرمی برای بهبود پوست خشک و آسیب دیده، التهابات پوستی شبیه آکنه و سایر تغییرات پوستی ایجاد شده در نتیجهٔ شیمی درمانی و درمان‌های ایمونولوژیک (به ویژه مهارکننده‌های EGFR).

### ریکنوال جگوه کار می کند؟

- باعث ابرسانی پوست می شود و پوست را سالم تر و شفاف تر می کند.
- لایه محافظ اپتی پوست را تقویت و حفظ می کند.
- مقاآمت پیشتر در برای مجرک های اختلال را تضمین می کند.
- استفاده پیشگیرانه از ریکنوال طاهر ضایعات آکنه مانند را بدون هیچ گونه کاهش نوز داروی ضد سرطان یا تأخیر در درمان، کاهش می دهد.

### دلایل استفاده از ریکنوال:

<sup>®</sup> ریکنوال باعث تسکین التهاب ها و ضایعات دردناک ایجاد شده ناشی از شبیه درمانی و درمان های ایمونولوژیک می شود و همچنین پوست را مر مقابل تشدید ضایعات و بروز ضایعات جدید محافظت می کند. هنگام استفاده از مهارکننده های برای درمان انواع سرطان، VEGFR و EGFR عوارض پوستی مختلفی به ویژه عوارض شبیه آکنه، بیورات پوستی، قرمزی کف دست و کتف، تغییر در ناخن، تغییرات پوست سر و موی بدن به صورت موقت بروز می کنند که در نتیجه، درمان های هدفمند سرطان ممکن است تازمان بهبودی آنها به تعویق بیفتد.

از سوی دیگر واکنش های پوستی شدیدی می تواند بر کیفیت زندگی فرد مبتلا تأثیر گذارد و باعث قطعه درمان سرطان شود. چراکه در برخی موارد، پرشک برای کاهش این عوارض، حتی دوز داروی تجویز شده را کاهش می دهد و در نتیجه شناسنامه درمان موفقیت آمیز سرطان کاهش پیدا می کند. برای جلوگیری از چین مواردی و بهبود و کاهش عوارض پوستی یاد شده، استفاده پیشگیرانه از ریکنوال توصیه می شود.

### نحوه استفاده:

- مرحله ۱: پوست را با آب و لرم و یک صابون ملایم شستشو و دهید.
- مرحله ۲: پوست را به آرامی با یک حوله نرم (الاف طبیعی) خشک کنید.
- مرحله ۳: در روز اول درمان سرطان، کرم ریکنوال را به طور پیشگیرانه روی صورت، گردن یا نایار نواحی ملتئب ممایلید. مصرف کرم را تا زمان بهبود التهابات پوستی ادامه دهید.
- مرحله ۴: کرم را در صورت نیاز چند بار در روز استفاده کنید.



1

2

3



## Topical Cream 50g

### PROTECTIVE SKIN CREAM WITH VITAMIN B6.

Topical application of vitamin B6 and additional substances, providing a local treatment and a positive moisture content.

#### How does it work?

**Reconval®** cream protecting the skin against hand-foot syndrome or post chemotherapy and immunotherapy skin inflammation. This cream also restores the hydrolipidic layer of skin and maintains its pH which soothes dry fingertips, cracked fingertips and peeling fingertips.

**Reconval®** also helps healing the blisters on palms and feet.

#### The reasons of using Reconval :

Some targeted and classic cytostatic drugs used to treat various cancers and chronic myeloid leukemia, cause skin changes on the hands and feet, which is called the hand-foot syndrome (plamar-planter erythrodysesthesia). In these areas the skin reddens painfully, burns and sometimes blisters and cracks appear or often it flakes off. The inflamed hands and feet cause problems when walking (treading) and grasping objects, which often impairs the quality of life and sometimes forces the doctor to reduce the dose or change the therapy.

The painful skin side effects usually become apparent after 7-10 days and are intense after one month of cancer therapy. Thus a prophylactic treatment on the first day of the cancer therapy can prevent the development of the skin side effects and reduce thereby a progressive inflammation.

#### How to use:

Step 1: Shower the skin with lukewarm water and use only mild soap.

Step2: Dry your skin gently with a soft towel (natural fibers).

Step 3: Strat using Reconval B6 cream prophylactically On day 1 of the cancer therapy. Continue using **Reconval** until skin inflammations improved.

Step4: Apply several times a day as required.



#### Cautions:

- If you use other topical medications while taking this product. Notify your physician.
- Prevent the medicine from coming into contact with the eyes, mouth and other mucous tissues.
- For topical use only. Do not use on mucous tissue such as nose or vagina.

#### Contraindications:

- Sensitivity to the product or components used in the formulation.

#### Storage:

Store at a temperature below 30 °C.  
Protect from freezing.  
keep out of reach of children.



## کرم محافظ پوست حاوی ویتامین ب۶

صرف موضعی ویتامین ب۶ و سایر مواد موثره موجود در کرم، ضایعات پوستی را به صورت موضعی درمان می کند و پوست را از میزان رطوبت کافی و مناسب برخوردار می سازد.

### ریکنوال® چگونه کار می کند؟

کرم ریکنوال® از پوست در برابر ستدندم دست-پا و سایر التهاب های پوستی بس از شیوه درمانی و درمان های ایمپونولوژیک محافظت می کند. این کرم همچنین لایه اپیدرم پوست را بازسازی می کند و موج حفظ PH آن می شود که در تنفسه خشکی، ترک خودگردگی و پوسته بوسنه شدن نوک انگشتان را بهبود می بخشد. همچنین کرم ریکنوال® به بهبود تاول های کف دست و پا کمک می کند.

### دلایل استفاده از ریکنوال®

برخی از درمان های سایتوتوکسیک و درمان های هندمند که برای معالجه انواع مختلفی از سرطان استفاده می شوند، تغیراتی را در پوست به ویژه در نواحی دست و پا ایجاد می کنند که با نام ستدندم دست-پا شناخته می شود. در این نواحی پوست به شکل دردناکی قرم می شود، سورش پیدا می کند، گاهی ترک یا تاول می زند و با اغلب اوقات پوسته بوسنه شود.

التهاب دست ها و پاها برای بیمار مشکلاتی در راه فتن و گرفتن اشیا ایجاد می کند که اغلب اوقات کیفیت زندگی فرد مبتلا را مغتنل کرده و گاهی شدت عوارض، پزشک را ناجار به کاهش دوز یا تعییر داروی ضد سرطان می سازد.

عارض جانی دردناک پوستی معمولاً ۱۰-۷ روز پس از شروع درمان سرطان بروز پیدا می کنند و پس از یک ماه از شروع درمان تشدید می شوند. به همین علت درمان پیشگیرانه ای موضعی در روز اول شروع درمان سرطان می تواند از پیشرفت ضایعات پوستی جلوگیری کند و در نتیجه التهاب پوستی پیشرونده را کاهش دهد.

### نحوه استفاده:

مرحله ۱: پوست را با آب و لرم و یک صابون مایلیم شستشو و دهید.  
مرحله ۲: پوست را به ازای یک حوله نرم (الایاف طبیعی) خشک کنید.  
مرحله ۳: در روز اول درمان سرطان، کرم ریکنوال® را به طور پیشگیرانه روی صورت، گردن یا سایر نواحی که ممکن است تحت تأثیر قرار گرفته باشند، بمالید. مصرف کرم را تا زمان بهبود التهابات پوستی ادامه دهید.  
مرحله ۴: کرم را در صورت نیاز چند مار در روز استفاده کنید.

